

ISWITCH Non card energy saver (WIRELESS)



ENKOA's energy savers enables till 60% of the energy saving at the installed buildings. The wireless energy savers allow us to live monitor and control of the room status thanks to the room sensors.

The system is aimed to the following markets:

>Hotels/Apart hotels


> Student halls of residence/Retirement homes

>Universities


* Room sensors (motion and door sensor) are required.

CHARACTERISTICS

DESCRIPTION	Non card energy saver with WIRELESS communication system
REFERENCE	DESTxxBA7S
POWER SUPPLY	Between 110 and 230 Vca.
CONSUMPTION	Nominal of 30 mA. Max. 50mA.(230VAC)
OUTPUT RELAY	>Output relays: 2 relays. One relay according to net voltage and the other one to the free electrical voltage. Power of cutting: 12 A, 230V~, cos φ =1 8 A, 230 V~, cosφ = 0,6 >Incandescent max. load 10 A.Halogen 10 A.
FREQUENCY	50-60 Hz.
PILOTS	Tricolor led (amber, red and green)
WEIGHT	110 grs.
DIMENSIONS	84,5mm (Width), 97 mm (Height) and 30mm (Depth).
BOX	"ABS FIREPROOF material according to the norm UL94 V-0"



FRONT VIEW




BACK VIEW





RELIABILITY IS THE KEY



For more information about this product or to talk to one of our sales specialists please contact us.

Vintech Systems

Phone: +61 2 9472 2000

Email: info@vintech.com.au